

FIG. 1




FIG. 2

21: IMAGE DATA BASE




FIG. 3




FIG. 4

PARAMETER	ALLOWABLE RANGE	STANDARD	RECOMMENDABLE VALUE 1	RECOMMENDABLE VALUE 2	. . .	RECOMMENDABLE VALUE n
POSITION	$0 \leq X \leq 40$ $0 \leq Y \leq 40$	X=0 Y=20	X=0 Y=20	X=20 Y=20
SIZE	$30 \leq X \leq 80$ $30 \leq Y \leq 80$	X=40 Y=40	X=40 Y=40	X=60 Y=40
COLOR	. . .	R=255 G=0 B=0	R=255 G=255 B=0	R=0 G=0 B=0
LETTER SIZE	12~18pt	13pt	14pt	16pt
LETTER COLOR	. . .	R=125 G=125 B=125	R=0 G=0 B=0	R=255 G=255 B=255
.
.
.

FIG. 5




FIG. 6




FIG. 7 (a)




FIG. 7 (b)




FIG. 8




FIG. 9 (a)




FIG. 9 (b)




FIG. 9 (c)




FIG. 10 (a)




FIG. 10 (b)




FIG. 10 (c)




FIG. 10 (d)




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

GAUGE LETTER COLOR			BORDERING COLOR		
R	G	B	R	G	B
255	255	255	0	0	0
219	219	219			
182	182	182			
:	:	:	:	:	:
:	:	:			
85	85	85	255	255	255
0	0	0			
219	255	255	0	0	255
182	255	255			
146	255	255			
109	255	255			
:	:	:			
0	0	255	219	255	255
:	:	:			
:	:	:			
:	:	:			
:	:	:			
:	:	:	:	:	:
:	:	:			
:	:	:			
:	:	:			
:	:	:			